

HD 4G Vehicle Intelligent Recorder WP-M21ST-4G



Description:

With industrial design, using high speed processor and embedded system, integrated with audio/video, GPS, alarm sensor, etc. Support 2 channels 1080P camera, 2 SD card each up to 256G. With CMS can remote live view in real time recording.

Features:

1. Industrial Grade Design, IP54;
2. Support 2 channels camera, built-in camera for front view, IPC is external camera which for back view / wide view inside;
3. Mini 2 channel 1080P 3G/4G GPS WIFI Mobile DVR.
4. H.265 compression code Adopt Hisilicon high performance processor;
5. Support blue tooth (as optional), can be intercom voice talking at center;
6. Support 3G / 4G / WIFI multiple network optional;
7. Built-in group communication function;
8. Rich CMS function, including remote live view in real time, playback, download,

- broadcasting, talk, etc;
9. Support various transmission quality options;
 10. Support two SD cards, each up to 256GB
 11. Support to connect with equipment with mobile phone through WIFI;
 12. Support to set parameters via mobile phone;
 13. Support WIFI, blue tooth, mobile network automatic switch;
 14. 8~36V wide voltage;
 15. Support Center Management Software platform (CMS);
 16. Support Ipad, Iphone, Android and PC to remote view in real time.

Specifications:

Industrial design		Mini size; can adsorb on any kind of vehicle glass
User interface		Support E-set, remote controller, remotely operation, SD card, etc to configure
Language		English, Chinese (option customized)
Security		User password, Administrator password management
Video & Live	Video input	2 Ch 1080P video input; 1Ch built-in, another Ch external IPC input;
	OSD	Overlays letters, like date /time, vehicle ID, etc into the video
	Compression	H.265 High Profile Compression
	Dual stream	Record with HD video and remotely live view with lower stream
	Resolution	Default 1080P, 720P optional;
	Frame rate	720p: 1024kbps、2048 kbps、3072 kbps、4096 kbps、5120 kbps, 5 grades adjustable 1080p: 2048 kbps、3072 kbps、4096kbps、5120kbps、6144 kbps, 5 grades adjustable
Audio	input/output	Mic audio input, blue tooth audio input; Blue tooth audio output;
	Compression	G.726
Record	Storage	SD card, support 16-256GB
	Format	ASF/FAT32
	Strategy	Default power-on record,alarm record;
Wireless transportation		Built in 3G/4G wireless module, various model optional
		Compatible GPRS, EDGE;
		Built in WIFI, support hotspot;
System upgrade		SD card ; remotely upgrade;
Power supply &	Power manage	ACC on / off, Timing on/off;

consumption	Battery capacity	Support UPS, can go on working 30 mins after outage;
	Charging time	< 20 mins
	Consumption	Working: ≥ 30 mins;
Work Environment	Temperature	-20℃ ~ +70℃
	Humidity	10% ~ 95%
Size	100(W) x95(H) x25(D) mm	



- 1: Support dual SD cards recording
- 2: Support nano SIM card
- 3: MODE key switch network

PC,WEB,APP for remote VIEW



