

3G/4G HD Camera Wireless Transmitting WP- M92

3G/4G HD IR Camera is a professional HD camera integrated with cameras, HD video wireless transmit, audio and record. It adopts high speed processor hardware and embedded Linux system. The state of the art HD camera uses the latest IT technologies, such as H.264 codec, wireless transmitting technologies, etc. This powerful camera can be deployed on wireless and temporary surveillance application like construction place, field oil exploring, no-person station, etc.



Key features:

- Industrial-grade design for reliable working on harsh environment
- H.264 high profile compression
- Support 1pcs SD card up to 256G for record storage
- 4G/WIFI transmit; multiple grade image quality transmitting option
- GPS/BD/GLONASS global positioning
- Powerful software platform including remote live, playback, broadcast, talk and mo

Industry Applications:



Armed
Police



Traffic
Police



Construction



Farming



Eco-agriculture



Environmental
protection

Specification :

Industrial design		Integrated industrial design
User interface		Support E-set , remote controller, remotely operation, SD card ,etc to configure
Language		English (option customized)
Security		User password, Administrator password management
Video & Live	Input/output	1channel video input, 1 channel video CVBS output ; 1.0Vp-p, 75Ω
	OSD	Overlays letters... like date /time into the video
	Compression	H.264 High Profile Compression
	Dual stream	Record with HD video and remotely live view with lower stream
	Live	1 channel
	Speed(frame rate)	PAL: 25fps , NTSC: 30fps
	Resolution	720P 、 D1、 CIF adjustable
	Image quality	High, middle, and low option
	Video rate	CIF : 384 kbps、 512 kbps、 768 kbps、 1024 kbps、 1536 kbps , 5 grades adjustable D1 : 512kbps、 768kbps、 1024kbps、 1536kbps、 2048kbps , 5 grades adjustable 720P : 1024kbps、 2048kbps、 3072kbps、 4096kbps、 5120kbps , 5 grades adjustable
	Compression	G.726

Record	Storage	Support 1pcs SD card up to 256G; option for HDD expandable up to 2TB
	Format	ASF/FAT32
	Record strategy	Default power-on record,
3G/4G/WIFI		Support 3G/4G and compatible with GPRS,EDGE, etc; built-in WIFI, support hotspot
GPS (option)		Support GPS, option/BD/GLONASS
Firmware upgrading		SD card ; remotely upgrade;
Power supply& consumption	Voltage	DC: 12V/2A
	Consumption	Working: < 10W ;
Work Environment	Temperature	-25°C ~ +70°C
	Humidity	10% ~ 95%
Waterproof grade		IP65
Size		140(W) x 100(H) x 380(D) mm
Weight		1780g

Note: the specification is subject to change without prior notice.

Order Model , : WP-M 92 - S G W E - C X

1 2 3 4 5 6 7

1 机型

2 存储介质

S : 1 个
D : 2 个

3 定位 : W i F i

N : 无 N : 无
G : G P S A : A P
B : B D W : W i F i

5 网络制式

N : 无
W : W C D M A E : 英文
E : E V D O
W.L : 五模
E.L : 七模

6 语言

C : 中文
E : 英文

7 其他

无 : 空
H : 加热