SHENZHEN WEKOP TECHNOLOGY CO.,LTD (WWW.SZWEKOP.COM)

720P 4CH HD Mini SD Card Mobile DVR WP-4 M10HST

Model Number：WP-4M10HST
Video input：4 Channels
Video output：1ch CVBS
Audio input：2 Channel audio input
Audio output：1 Channel Audio Output
Video compress：H.264
Storage：Support Up to 256G SD card
Resolution：720P

Key features：

♦Industrial-grade design with super mini size
♦Wide voltage support over-load ,short circuit ,reverse connect protection
♦Support SD card up to 256G for record storage
♦4G/WIFI transmit; multiple grade image quality transmitting option
♦GPS/BD/GLONASS global positioning
♦Powerful software platform including remote live, playback, broadcast, talk and more
♦IP communication
♦PTT group talk function

Specification

Industrial design		Mini size; Secure and reliable with high reliable interface design
User interface		Support E-set, remote controller, remotely operation, SD card, etc to configure
Language		English, Chinese (option customized)
Security		User password, Administrator password management
Video & Live	Input/output	4 channel video input, 1 channel video CVBS output; 1.0Vp-p, 75Ω
	OSD	Overlays letters, like date /time, vehicle ID, GPS, etc into the video
	Compression	H.264 High Profile Compression
	Dual stream	Record with HD video and remotely live view with lower stream
	Live	1 channel / Quad live; Support events triggered to full screen and video switch
	Speed(frame rate)	PAL: 100fps, each channel up to 25fps; NTSC: 120fps, each channel up to 30fps
	Resolution	720P /D1/CIF adjustable
	Image quality	High, middle, and low option
	Video rate	CIF: 384 kbps, 512 kbps, 768 kbps, 1024 kbps, 1536 kbps, 5 grades adjustable D1: 512kbps/768kbps/1024kbps/1536kbps/2048kbps, 5 grades adjustable 720P: 1024kbps, 2048kbps, 3072kbps, 4096kbps, 5120kbps, 5 grades adjustable
Audio	Audio input/output	2 channel audio input; 1 channel audio output;
	Compression	G.726
	Storage	Support 1pcs SD card up to 256G
Record	Format	ASF/FAT32
	Record strategy	Default power-on record, also support time schedule record, alarm record and events trigger record
Alarm	Input	3 channel level signal input
	Output	1 channel level signal output
3G/4G/WIFI		hotspot

利用 pdfFactory Pro 测试版本创建的PDF文档 www.pdffactory.com

GPS		Support GPS, option/BD/GLONASS
System upgrade		SD card ; remotely upgrade;
	Power manage	ACC on/off; delay off
Power supply & consumption	Voltage input	DC:+8V ~ +36V
	Voltage output	+12V@2.5A
	Consumption	Working: <10W;
Work Environment	Temperature	-25℃ ~ +60℃
	Humidity	10% ~ 95%
Size		128(W) x40(H) x135(D) mm (with bracket installation) 104(W) x40(H) x135(D)mm (No bracket installation)
Order type, **such as:WP-4M10HST-SGWE-CX**		**2 Storage** **S:1pcs** **D:2pcs** **3 Positioning** **N:NO** **G:GPS** **B:BD** **4 WIFI** **N:NO** **A:AP** **W:WIFI** **5 Network mode** **W:WCDMA** **E:EVDO** **WE：All network** **6 Language** **C:Chinese** **E:English**
Specifications are subject to change without prior notice		

利用 pdfFactory Pro 测试版本创建的PDF文档 www.pdffactory.com



利用 pdfFactory Pro 测试版本创建的PDF文档 www.pdffactory.com



利用 pdfFactory Pro 测试版本创建的PDF文档 www.pdffactory.com